

Material Safety Data Sheet

According to (EC) No 1907/2006 (REACH) and 1272/2008 (CLP)

EN

FORM-06-14-01 (V00)

Page 1/9

Publication: 26/08/2022

Revision: XX/XX/XXXX

Version: 00



BUTYLHYDROXYTOLUENUM

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name: Butylhydroxytoluene
Butylhydroxytoluenum
Butylhydroxytolueen
Butylhydroxytoluène
Butylhydroxytoluol

N° CAS: 128-37-0

N° EC: 204-881-4

1.2 Relevant identified uses of the substance/mixture and uses advised against

Identified uses: Active Pharmaceutical Ingredient or Excipient.

1.3 Details of the supplier of the safety data sheet

Company: FAC SECUNDUM ARTEM NV
Oostmalsebaan 1c (unit 5)
2960 Sint-Lenaarts
Belgium

Telephone: (+32) (0)3 457 11 76

Email: info@magis-pharma.be

Web page: www.magis-pharma.be

1.4 Emergency telephone number

Public utility foundation:	Belgisch Antigifcentrum	Centre Antipoisons Belge
Telephone:	(+32) (0)70 245 245	(Service 24/7)
Web page:	www.antigifcentrum.be	www.centreantipoisons.be

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance/mixture

Classification according to (EC) n° 1272/2008

Aquatic Chronic 1 H410

2.2 Label elements

Labelling according to (EC) n° 1272/2008

Hazard pictogram(s):



Signal word(s): Attention

Hazard statements:

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container to... (see section 13).

Material Safety Data Sheet

According to (EC) No 1907/2006 (REACH) and 1272/2008 (CLP)

EN

FORM-06-14-01 (V00)

Page 2/9

Publication: 26/08/2022

Revision: XX/XX/XXXX

Version: 00



BUTYLHYDROXYTOLUENUM

Additional applicable label elements: Not applicable.

2.3 Other hazards

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Product name: Butylhydroxytoluene
IUPAC name: 2,6-ditert-butyl-4-methylphenol
Synonyms: Butylated hydroxytoluene
Ionol
N° CAS: 128-37-0
N° EC: 204-881-4
Molecular Formula: $C_{15}H_{24}O$
Content: 100%

3.2 Mixtures

Not applicable.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General notes: Consult a doctor. Show the safety data sheet to the doctor on duty.

After inhalation: Remove to fresh air. If breathing is irregular, call a doctor immediately. Only give artificial respiration if breathing stops or under medical supervision.

After skin contact: Wash immediately with plenty of soap and water for at least 15 minutes. Remove all contaminated clothing immediately. Get medical attention if irritation develops and persists.

After eye contact: Remove contact lenses and rinse immediately with plenty of water, including under eyelids, for at least 15 minutes. Get medical attention.

After ingestion: If conscious, give victim plenty of water to drink. Never give anything by mouth to an unconscious person. Call a doctor immediately. a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

There are no known acute or delayed effects from exposure to the product.

4.3 Indication of any immediate medical attention and special treatment needed

In cases of doubt, or when symptoms of discomfort persist, seek medical attention. Never administer anything by mouth to an unconscious person.

Material Safety Data Sheet

According to (EC) No 1907/2006 (REACH) and 1272/2008 (CLP)

BUTYLHYDROXYTOLUENUM

EN

FORM-06-14-01 (V00)

Page 3/9

Publication: 26/08/2022

Revision: XX/XX/XXXX

Version: 00



SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media:	Foam, dry powder, carbon dioxide, sand, water mist. Neighbouring fires (fire-exposed containers): Water spray or water fog.
Unsuitable extinguishing media:	Direct water jet.

5.2 Special hazards arising from the substance/mixture

Avoid breathing combustion product. The product is combustible and when dust is dispersed in air in sufficient concentrations and in the presence of an ignition source, may give rise to explosive reactions. Fire may develop or be driven by the solid, possibly escaping from the container, when it reaches high temperatures or by contact with ignition sources.

5.3 Advice for firefighters

Surrounding fires:	Cool containers with water to prevent decomposition of product and development of health hazards. Always use full fire protection. Collect water from which must not enter sewage system. Dispose of contaminated water used for extinguishing and residues in accordance with current regulations.
Protection against fire:	Helmet with visor, fire-retardant clothing (jacket and pants with straps around the arms, legs and waist), gloves (fireproof and dielectric), a mask with a face mask that covers the entire face of the operator or the car (self-protective) in the case of large amounts of smoke.
Hazardous combustion products:	Not available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid dust formation and breathing of vapours/mists/gases. For exposure control and personal protective measures see section 8.

For emergency responders

Avoid dust formation and breathing of vapours/mists/gases. For exposure control and personal protective measures see section 8.

6.2 Environmental precautions

Prevent product from entering sewers, surface water, groundwater and/or neighbouring areas.

6.3 Methods and material for containment and cleaning up

Collect spilled product by mechanical spraying and place in containers for recovery or disposal. Eliminate waste water jets if there are no contraindications. Ensure sufficient ventilation of the site affected by the leak. Check for incompatibilities for container material in section 7.

6.4 Reference to other sections

For exposure control and personal protective measures, see section 8.

For waste disposal, follow the recommendations in section 13.

Material Safety Data Sheet

According to (EC) No 1907/2006 (REACH) and 1272/2008 (CLP)

BUTYLHYDROXYTOLUENUM

EN

FORM-06-14-01 (V00)

Page 4/9

Publication: 26/08/2022

Revision: XX/XX/XXXX

Version: 00



SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Precautions for safe handling:	Handle after consulting all other sections of this safety data sheet. Avoid dispersing product into the environment. Do not eat, drink or smoke during use. Remove contaminated clothing and protective equipment before entering eating areas.
Personal protection:	Not available.
Technical protective measures:	Not available.
Handling:	Not available.

7.2 Conditions for safe storage, including any incompatibilities

Storage:	Store only in original container.
Conditions for safe storage, including any incompatibilities:	Keep container closed, in a well-ventilated place.
Storage – away from:	Store away from direct sunlight. Store containers away from incompatible materials, see section 10.

7.3 Specific end use(s)

Active Pharmaceutical Ingredient or Excipient

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

It is recommended to take into account the exposure limit values determined by ACGIH for unclassified inert dusts (respiratory fraction PNOC: 3 mg/m³, inhalable fraction PNOC: 10 mg/m³) in the risk assessment process, according to the risk assessment (EN 149).

8.2 Exposure controls

Appropriate engineering control

Since the use of appropriate technical measures should always take precedence over personal protective equipment, ensure good ventilation at the workplace by effective local suction. When choosing personal protective equipment, ask your chemical suppliers if this is necessary. Personal protective equipment must be CE-marked for compliance with applicable regulations. Provide an emergency shower with a visco-elastic tray.

Hygiene measures: Handle with proper industrial hygiene precautions, and observe safety practices. Wash hands before breaks and after finishing work.

Individual protection measures

Eye/face protection:	Protective face shields and safety goggles according to EN166.
Skin protection:	Choose body protection according to the quantity and concentration of the hazardous substance in the workplace.
Hand protection:	Handle with gloves. The selected protective gloves must comply with the specifications of EU Directive 89/686/EEC and the derived EN 374 standard.
Respiratory protection:	Where risk assessment shows that air-purifying respirators are appropriate, use dust mask type N95 (USA) or type P1 (EN 143). Use respirators and components tested and approved under appropriate governmental standards such as NIOSH (US) or CEN (EU).

Material Safety Data Sheet

According to (EC) No 1907/2006 (REACH) and 1272/2008 (CLP)

EN

FORM-06-14-01 (V00)

Page 5/9

Publication: 26/08/2022

Revision: XX/XX/XXXX

Version: 00



BUTYLHYDROXYTOLUENUM

Thermal hazards: Not determined.

Environmental exposure control

Not available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance:	A white or yellowish-white, crystalline powder.
Odour:	Odourless.
Odour threshold:	Not available.
pH:	Not available.
Melting/freezing point:	69 °C to 70 °C
Initial boiling point:	265 °C
Boiling range:	Not available.
Flash point:	114 °C
Evaporation rate:	Not available.
Flammability (solid/gas):	Not available.
Upper/lower flammability or explosive limits:	Not available.
Vapour pressure:	Not available.
Vapour density:	Not available.
Relative density:	Not available.
Solubility:	Very soluble in acetone, freely soluble in alcohol and in vegetable oils.
Solubility in water:	Practically insoluble in water.
Partition coefficient (n-octanol/water):	LogPow 5
Auto-ignition temperature:	425 °C
Decomposition temperature:	> 320 °C
Viscosity:	Not available.
Explosive properties:	Not available.
Oxidising properties:	Not available.

9.2 Other information

Molecular Weight: 220.35 g/mol
VOC (Directive 2010/75/EC): 0
VOC (volatile carbon): 0

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No special conditions. Stable under recommended handling and storage conditions (see section 7).

Material Safety Data Sheet

According to (EC) No 1907/2006 (REACH) and 1272/2008 (CLP)

BUTYLHYDROXYTOLUENUM

EN

FORM-06-14-01 (V00)

Page 6/9

Publication: 26/08/2022

Revision: XX/XX/XXXX

Version: 00



10.2 Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions

The product has no possibility of hazardous polymerisation.

10.4 Conditions to avoid

Avoid any type of incorrect handling: high pressures and/or high temperatures.

10.5 Incompatible materials

Strong oxidizing agents, acid or acetic anhydrides.

10.6 Hazardous decomposition products

Decomposition by heat may produce toxic fumes of CO and CO₂.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:	Acute oral toxicity (LD ₅₀ , rat): > 2000 mg/kg Acute dermal toxicity (LD ₅₀ , rat): > 2000 mg/kg
Skin corrosion/irritation:	Not available.
Serious eye damage/irritation:	Not available.
Respiratory/skin sensitisation:	Not available.
Germ cell mutagenicity:	Not available.
Carcinogenicity:	No components of this product are identified as probable, possible or confirmed human carcinogens at levels greater than or equal to 0.1%.
Reproductive toxicity:	Not available.
Summary of evaluation of the CMR properties:	Not available.
STOT-single exposure:	Not available.
STOT-repeated exposure:	Not available.
Aspiration Hazard:	Not available.
Other:	Not available.

11.2 Additional information on potential adverse human health effects and symptoms

Eye contact:	Not available.
Skin contact:	Not available.
Inhalation:	Harmful if inhaled.
Ingestion:	Not available.
Aspiration:	Not available.

SECTION 12: ECOLOGICAL INFORMATION

Use in accordance with good working practices, avoiding dispersal of the product into the environment. Notify the competent authorities if the product reaches watercourses, sewers, soil or vegetation.

Material Safety Data Sheet

According to (EC) No 1907/2006 (REACH) and 1272/2008 (CLP)

BUTYLHYDROXYTOLUENUM

EN

FORM-06-14-01 (V00)

Page 7/9

Publication: 26/08/2022

Revision: XX/XX/XXXX

Version: 00



12.1 Toxicity

LC ₅₀ (fish):	0.464 mg/L - <i>Brachydiano rerio</i>
EC ₅₀ (crustaceans):	0.840 mg/L - <i>Daphnia magna</i>
EC ₅₀ (algae):	0.577 mg/L - <i>Scenedesmus subspicatus</i>

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Not available.

12.5 Results of PBT and vPvB assessment

Not available.

12.6 Other adverse effects

Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product: Consider all federal, state and local environmental regulations. Contact a licensed professional waste disposal service for disposal of this material. Dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated container: Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

Transport information according to ADR/RID/IMDG/ICAO/IATA

14.1 UN Number

ADR/ RID(Land),IMDG(Sea),
IATA/ICAO (Air) : 3077

14.2 UN proper shipping name

ADR/ RID(Land),IMDG(Sea),
IATA/ICAO (Air) : SOLID SUBSTANCE DANGEROUS TO THE ENVIRONMENT, N.O.S. (2,6-DI-TERZ-BUTYL-p-CRESOL)

14.3 Transport hazard class(es)

ADR/ RID(Land),IMDG(Sea),
IATA/ICAO (Air) : 9

14.4 Packing group

ADR/ RID(Land),IMDG(Sea),
IATA/ICAO (Air) : III

14.5 Environmental hazards

ADR/ RID(Land),IMDG(Sea), IATA/ICAO (Air) :	ADR/RID: HIN - Kemler: 90	Limit Quantity: 5 Kg	Restriction code: E1
	Special provisions:	---	---

Material Safety Data Sheet

According to (EC) No 1907/2006 (REACH) and 1272/2008 (CLP)

EN

FORM-06-14-01 (V00)

Page 8/9

Publication: 26/08/2022

Revision: XX/XX/XXXX

Version: 00



BUTYLHYDROXYTOLUENUM

IMDG: EMS: F-A, S-F

Limit Quantity: 5 Kg

IATA: Cargo:

Maximum Quantity: -

Packing Instructions: -

Pass.:

Maximum Quantity: -

Packing Instructions: -

14.6 Special precautions for user

It is not dangerous in transport.

14.7 Transport in bulk according to annex II of Marpol and the IBC Code

Not available.

14.8 Additional transport information

Not available.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance/mixture

Hazard symbol:



Risk phrases:

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases:

S61 Avoid release to the environment. Refer to special instructions/safety data sheet.

15.2 Chemical safety assessment

A chemical safety assessment of the product has not been carried out.

SECTION 16: OTHER INFORMATION

16.1 Changes since the previous version

Not applicable.

16.2 Abbreviations and acronyms used

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
EC (number):	European Community (number)
IATA:	International Air Transport Association
ICAO:	International Civil Aviation Organization
IMDG:	International Maritime Code for Dangerous Goods
IUPAC:	International Union of Pure and Applied Chemistry
PBT:	Persistent, Bioaccumulative and Toxic substance
RID:	Regulations Concerning the International Transport of Dangerous Goods by Rail
STOT:	Specific Target Organ Toxicity
UN (number):	United Nations (number)
vPvB:	very Persistent and very Bioaccumulative

Material Safety Data Sheet

According to (EC) No 1907/2006 (REACH) and 1272/2008 (CLP)

BUTYLHYDROXYTOLUENUM

EN

FORM-06-14-01 (V00)

Page 9/9

Publication: 26/08/2022

Revision: XX/XX/XXXX

Version: 00



16.3 Key literature references/sources for data

European Chemicals Agency.

<https://www.echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database/>

16.4 Method of classification in case of mixture

Not applicable.

16.5 Relevant Hazard statements and/or precautionary statements

For information on hazard and/or precautionary statements refer to section 2 up to and including section 15.

16.6 Training advisement

Not available

16.7 Notice for user(s)

The information provided in this MSDS has been established in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015, amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council, on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94, as well as Council Directive 76/769/EEC and Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC of the Commission.

This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information has been compiled from sources considered to be dependable and is accurate to the best of the FSA NV's knowledge. However, the information is provided without any representation or warranty, expressed or implied regarding its accuracy or correctness. FSA NV cannot assume responsibility for adverse events which may occur in the use and/or misuse of this product and expressly disclaims liability for loss, damage and/or expense arising out of or in any way connected with the handling, storage, use and/or disposal of this product.

16.8 Department issuing MSDS

Quality Department

FAC SECUNDUM ARTEM NV

info@magis-pharma.be